

HOT METAL

AUTUMN 2025

TIG TITANS

PRECISION, POWER & PERFORMANCE
PG 2

THE FUTURE IS HERE

NEXT GENERATION PULSE MIG
PG 5

HEADGEAR REVOLUTION

NEXT-LEVEL PROTECTION
PG 12



eseti
New Zealand Limited

Esseti New Zealand Ltd
PO Box 4189
Palmerston North

711 Tremaine Avenue
Palmerston North
New Zealand

XCEL-ARC

TIG220DCPFC
220AMP DC TIG/MMA
CLEAR VISION TECHNOLOGY

- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- Arc Force Control
- Generator Compatible
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-----------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 20% @ 220A |
| | @ 25°C 40% @ 220A |
| Current Range MMA | 20 - 160A |
| Current Range TIG | 5 - 220A |
| OCV (VRD Off) | 68V |
| Rated Output | 5A/10.2V - 220A/18.8V |
| Weight | 8.9kg |

C/w ARC T2FX x 8m Flexi TIG Torch,
Arc Set x 4m, Argon Flowtube Regulator



\$1,992.00

Including GST
\$1,732.17 excluding GST
XA-RZTIG220PFC-T2

TIG200AC/DCPFC
200AMP AC/DC TIG/MMA
CLEAR VISION TECHNOLOGY

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

| | |
|-------------------|---------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 20% @ 200A |
| | 60% @ 115A |
| Current Range MMA | 20 - 160A |
| Current Range TIG | 5 - 200A |
| No Load Voltage | 65V |
| Rated Output | 5A/20.8V - 200A/18V |
| Weight | 11.7kg |

C/w ARC T3FX x 4m Flexi TIG Torch,
Arc Set x 4m, Argon Flowtube Regulator



\$3,010.00

Including GST
\$2,617.39 excluding GST
XA-RZTIG200ACDCPFC-T3

TIG200RZAC/DC
200AMP AC/DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Balance Control
- AC Frequency Control
- Pulse Control Function
- Pre & Post Gas Control
- Down Slope Control
- Remote Amperage Capable
- Electrode Hot Start & Arc Force
- Compliant to AS/NZ 60974-1

| | |
|-------------------|----------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 25% @ 200A TIG |
| | 30% @ 160A MMA |
| Current Range TIG | 10 - 200A |
| Current Range MMA | 10 - 160A |
| Rated Power | 6.9 KVA |
| I _{eff} | 15 Amps |
| Dimensions (mm) | 566x224x405 |
| Weight | 15kg |

C/w XA26FX x 4m Flexi TIG Torch & Spares,
Arc Set x 4m, Argon Flowtube Regulator



\$2,564.99

Including GST
\$2,230.43 excluding GST
XA-TIG200RZ ACDC-K

TIG230AC/DC
230AMP DC TIG/MMA

BRAND NEW MODEL

- Silicon Carbide Technology
- Dual Plug Compatibility
- 5" Colour LCD Touchscreen
- Power Factor Correction (PFC)
- Foot Control Ready
- Speed Start and TackPlus
- Steady Arc
- TIG Smart-Set
- Mixed AC/DC
- Compliant to AS/NZ 60974-1



| | |
|-------------------|-------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 15% @ 230A |
| | 60% @ 115A |
| Current Range TIG | 2 - 230A |
| Current Range MMA | 10 - 200A |
| Weight | 20.6Kg |
| Dimensions (mm) | 680x210x395 |



IGBT INVERTER TECHNOLOGY



TIG AC/DC HF MULTIWAVE AC



5" COLOUR LCD TOUCHSCREEN



DUAL INPUT 10A/15A



REMOTE AMP CONTROL READY



POWER FACTOR CORRECTION



SMART FAN



JOB MEMORY

EXTRA CONTROL WITH ADVANCED TIG PARAMETERS

C/w ARC T3FX x 4m Flexi TIG Torch,
Arc Set x 4m, Argon Flowtube Regulator

\$4,887.50

Including GST
\$4,250.00 excluding GST
XA-TIG230RZACDC-K



TIG 230 AC/DC TROLLEY
STREAMLINED MANEUVERABILITY



Maximise your flexibility, portability and manoeuvrability with the TIG 230 AC/DC Trolley.

- Transport your machine and gas gear wherever you need
- Easily secure the TIG 230 AC/DC to the trolley
- Holds up to a G size gas cylinder

\$552.00

Including GST
\$480.00 excluding GST
XA-TR230ACDC



TIG 230 AC/DC WATER COOLER
MAXIMIZE YOUR TIG WELDING PERFORMANCE

The perfect accessory, the TIG 230 AC/DC Water Cooler, helps you maximise your TIG welding performance.

- Weld at higher amperages and for longer periods of time without overheating
- Extend the life of the TIG consumables when combined with the T4W Water-Cooled TIG Torch
- Bi-Flow™ Technology – a series of high-capacity cooling chambers – removes excessive heat at the source for greater performance from the TIG Torch



\$902.75

Including GST
\$785.00 excluding GST
XA-WCMINI



T4W WATER-COOLED TIG TORCH
ADVANCED DESIGN FOR ENHANCED PERFORMANCE



\$806.73

Including GST
\$701.50 excluding GST
ARC-T4W-8M

TIG320AC/DC
TIG/MMA INVERTER WELDER
WATER COOLED PACKAGE
INDUSTRIAL 3-PHASE



- AC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form
 - Trapezoidal Wave Form
 - Sine Wave Form
 - AC Frequency Control
 - AC Balance Control
- DC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
- MIX ARC TIG (AC-DC)
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC Wave Hz Control
 - AC-DC Mix Cycle % Control
 - AC-DC Mix Pulse Hz Control
- Digital Weld Sequence Control
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select
 - Job Memory Storage
 - Store & Select 50 Programs
- Digital Pulse Control
 - Peak & Base Amp Select
 - Pulse Frequency Control
 - Pulse Width Control
- MMA (Stick Electrode)
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control
 - Arc Force Control

Power Supply 415V - 3 Phase
 Duty Cycle @ 40°C 30% @ 320A TIG
 30% @ 270A MMA
 Current Range TIG 10 - 320A
 Current Range MMA 10 - 270A
 Rated Input Power 10 kVA
 Certification Approval AS/NZS60974-1



\$8,619.00
Including GST
 \$7,494.78 excluding GST
 XA-TIG320RZ ACDC-K

COMPLETE PACKAGE DEAL

Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled Tig Torch x 8m with Starter Kit, Earth Lead x 4m, Arc Lead x 4m, Argon Flowtube Regulator

ARC140
140AMP DC MMA/TIG



- MMA (stick electrode)
 - VRD
 - Hot Start
 - Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 240V - 1Ph
 Duty Cycle @ 40°C 20% @ 140A
 @ 25°C 40% @ 140A
 Current Range MMA 20 - 140A
 Current Range TIG 10 - 140A
 OCV (VRD Off) 78V
 Weight 5.5kg

C/w 4m Arc Set
 (incl. Twist Type Electrode Holder)
 Tig Torch is Optional and Extra



\$674.00
Including GST
 \$586.09 excluding GST
 XA-RZARC140-K



ARC160PFC
160AMP DC MMA/TIG



- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 240V - 1Ph
 Duty Cycle @ 40°C 15% @ 160A
 @ 25°C 35% @ 160A
 Current Range MMA 20 - 160A
 Current Range TIG 10 - 160A
 OCV (VRD Off) 78V
 Rated Power 5.0 KVA
 Weight 7.2kg

C/w 4m Arc Set
 (incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra



\$774.00
Including GST
 \$673.04 excluding GST
 XA-RZARC160PFC-K

ARC180
180AMP DC MMA/TIG



- Clear Vision Technology
- MMA (stick electrode)
 - VRD
 - Hot Start, Arc Force
 - Anti Stick
- DC-TIG - Lift Arc Ignition
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 240V - 1Ph
 Duty Cycle @ 40°C 20% @ 180A
 @ 25°C 40% @ 180A
 Current Range MMA 20 - 180A
 Current Range TIG 10 - 180A
 OCV (VRD Off) 78V
 Dimensions (mm) 370x125x255
 Weight 5.8kg

C/w 4m Arc Set (incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra



\$736.00
Including GST
 \$640.00 excluding GST
 XA-RZARC180-K

ARC200PFC
200AMP DC MMA/TIG

- Clear Vision Technology
- Intelligent Synergic Control
- Power Factor Correction (PFC)
- MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force
- DC-TIG - Smart Lift TIG
- Wireless Remote Control Ready
- Generator Compatible
- Compliant to AS/NZ 60974-1

Power Supply 240V - 1Ph
 Duty Cycle @ 40°C 25% @ 200A
 @ 25°C 40% @ 200A
 Current Range MMA 20 - 200A
 Current Range TIG 10 - 200A
 OCV (VRD Off) 78V
 Rated Power 6.8 KVA
 Weight 7.6kg

C/w 4m Arc Set
 (incl. Twist Type Electrode Holder)

Tig Torch is Optional and Extra



\$927.00
Including GST
 \$806.09 excluding GST
 XA-RZARC200PFC-K

RAZORCUT**CUT45CNC****CUT45CNC****45AMP PLASMA CUTTI**

- 16mm Clean Cut on Steel
- 25mm Sever Cut on Steel
- CNC Connectivity
- PFC - Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

| | |
|-------------------|------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 25% @ 45A |
| | @ 25°C 60% @ 30A |
| Rated Input Power | 5.3KVA |
| Air Flow Draw | 6.7cfm |
| Air Pressure | 75psi |
| Weight | 10Kg |
| Dimensions (mm) | 546x166x341 |

C/w 6m SC80 Suregrip™ Plasma Torch,
Earth Lead and Spares.



\$2,107.00
Including GST

\$1,832.00 excluding GST
XA-RZCUT45CNC-K

RAZORCUT**CUT80RZ****CUT80****80AMP PLASMA CUTTER**

- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

| | |
|----------------------|------------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 40% @ 80A |
| | @ 25°C 80% @ 80A |
| Rated Output Volatge | 112V |
| Air Flow Draw | 7.5cfm |
| Air Pressure | 80psi |
| Weight | 16Kg |
| Dimensions (mm) | 560x220x415 |

C/w 6m SC120 Suregrip™ Plasma Torch,
Earth Lead and Spares.



\$2,725.00
Including GST

\$2,369.56 excluding GST
XA-CUT80RZ-K

RAZORCUT**CUT120RZ****CUT120****120AMP PLASMA CUTTER
MADE FOR THE PROFESSIONAL
NEEDING MAXIMUM POWER
FROM A PORTABLE MACHINE**

- 120 Amp @ 35% Duty Cycle - 415V
- 45mm Clean Cut on Steel
- 60mm Sever Cut on Steel
- Digital Screen
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 60% @ 120A |
| Current Range | 20-120A |
| No Load Voltage | 420V |
| Air Flow Draw | 7.0cfm |
| Air Pressure | 75psi |
| Weight | 24Kg |
| Dimensions (mm) | 560x220x415 |

C/w 6m SC120 Suregrip™ Plasma Torch,
Earth Lead and Spares.



**DIGITAL LCD
SCREEN**



\$5,330.00
Including GST

\$4,634.78 excluding GST
XA-CUT120RZ-K

XCEL-ARC**E V O L V E****200 PULSE**

NEXT GENERATION PULSE MIG

EVOLVE200PULSE**200AMP PULSE MIG/TIG/MMA**

- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless, 5kg Spool Capacity
- Spoolgun & Push-Pull Ready
- DC-TIG with HF Start & Gas Solenoid
- TIG Pulse, Slope & Gas Timer Controls
- MMA with Anti-Stick, Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 15% @ 200A |
| | @ 25°C 40% @ 200A |
| Current Range MIG | 40 - 200A |
| Current Range TIG | 5 - 200A |
| Current Range MMA | 20 - 180A |
| Rated Power | 11 KVA |
| Dimensions | 605x230x400mm |
| Weight | 17kg |

C/w 3m DM26 Suregrip™ Mig Torch with Remote Controls,
Arc Set x 4m, Twin Gauge Argon Regulator.
Tig Torch is Optional and Extra



\$3,955.00
Including GST

\$3,439.13 excluding GST
XA-MIG200EP-K

RAZORWELD**ARC630****ARC630****630AMP DC MMA/CAG/TIG**

- New MCU control system
- MMA (stick electrode)
- DC-TIG
- Arc Air Gouging Mode with High OCV
- Generator Compatible
- Thermal overload protection
- Tolerant to variable power supply
- Compliant to AS/NZ 60974-1

| | |
|------------------------|------------------|
| Power Supply | 415V - 3Ph |
| Eff MMA | 31.0 Amps |
| TIG | 31.6 Amps |
| Duty Cycle @ 40°C | 100% @ 315A MMA/ |
| | 100% @ 400A TIG |
| OCV (VRD Off) | 90V |
| Power Factor | 0.7 |
| Efficiency | ≥80 |
| Weight | 33.5kg |
| Certification Approval | AS/NZ60974-1 |

C/w Machine and Manual
Earth Lead & Arc Lead are optional and Extra



\$3,969.00
Including GST

\$3,451.30 excluding GST
XA-ARC630RZ-K

RAZORWELD**MIG220RZ****MIG220****220AMP DC MIG/TIG/MMA**

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Optional Remote Control
- Smart Fan
- Spool Gun Ready
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 15% @ 220A |
| | 60% @ 110A |
| Current Range MIG | 30 - 220A |
| Current Range TIG | 5 - 220A |
| Current Range MMA | 20 - 180A |
| Weight | 15.1Kg |
| Dimensions (mm) | 560x220x400 |

C/w 3m M24 Digital MIG Torch, Arc Set x 4m,
Twin Gauge Argon Regulator Tig Torch is Optional and Extra



\$1,763.00
Including GST

\$1,533.04 excluding GST
XA-RZMIG220-K

EVOLVE 500 PULSE

NEXT GENERATION PULSE MIG

MIG • TIG • MMA

THE FUTURE IS HERE

The EVOLVE 500 is an ultra-powerful, full-digital welding machine, designed for heavy industrial applications. Equipped with advanced ARM Cortex microprocessors, Silicon Carbide IGBTs, and cloud connectivity, it delivers unmatched control, efficiency, and welding performance.


MODULAR ADD ONS

Futureproof your purchase with the EVOLVE MULTI 500, with the option to add additional modules as you need them. These optional modules include an AC/DC TIG module and a Plasma Cutting module for all your future needs.




SINGLE PULSE MIG

A single pulse weld alternates between a peak and base current, which works to minimise the amount of heat input without compromising on any of the penetration. It's perfect for softer materials like aluminium. Pulse welding is also done by spray transfer, eliminating spatter and cutting your post-weld clean-up time.



DOUBLE PULSE MIG

A double pulse weld alternates between a peak current and two base currents, reducing the heat input of the weld even further than single pulse, while still maintaining all of the benefits. Because of the faster freezing puddle, your double pulse welds come out looking just like a stack of dimes.



XA XCEL-ARC

EVOLVE500PULSE 500AMP PULSE MIG/TIG/MMA

Packed full of revolutionary technologies, futureproof your workshop with our all-new EVOLVE 500 PULSE.

- Complete with single and double pulse MIG programs
- Get a full range of additional modular accessories, including AC/DC TIG
- Comes packaged with a Separate Wire Feeder unit, water cooler and trolley
- 5" LCD Touch Screen
- Single Pulse & Double Pulse MIG
- Synergic MIG with over 100 programs
- MIG Gas/Gasless
- 5kg and 15kg Spool Capacity
- Spoolgun & Push-Pull Ready
- MMA with Anti-Stick
- Arc Force & Power Limit
- Compliant to AS/NZ 60974-1

| | |
|-------------------|----------------------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 60% @ 500A, 100% @ 400A |
| Current Range MIG | 40 - 500A |
| Current Range MMA | 20 - 500A |
| Dimensions | 842*302*395mm |

BRAND NEW MODEL
STOCK COMING SOON
PRE-ORDER NOW

5 YEAR
MACHINE
WARRANTY



**ADVANCED
ARM CORTEX
MICROPROCESSORS**



**SILICONE
CARBIDE
IGBT**



**INVERTER
FREQUENCY
MODULATION**



**FULLY
SYNERGIC**



**FULL DIGITAL
PFC**



**GLICK
FUNCTION**



**100 JOB
MEMORY SLOTS**



**DIGITAL
CONTROL 4 ROLL
WIRE FEEDER**



**OTA
FIRMWARE
UPDATES**



**EVOLVE DIGITAL
SMART TORCHES**



\$15,392.75
Including GST
\$13,385.00 excluding GST
XA-MIG500EVP-K

C/w 3m M55W Suregrip™ Mig Torch
with Remote Controls, Arc Set x 4m,
Twin Gauge Argon Regulator.

RAZORWELD**mig250****MIG250PFC****250AMP DC MIG/TIG/MMA**

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG & 15Kg Spool Capacity
- Power Factor Correction (PFC)
- Spool Gun Ready
- 4 Geared Wire Drive
- Trigger Controlled DC Lift Arc TIG
- Advanced MMA Features
- Smart Fan
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 60% @ 144A |
| Current Range MIG | 30 - 250A |
| Current Range TIG | 5 - 250A |
| Current Range MMA | 20 - 220A |
| Weight | 25.5Kg |
| Dimensions (mm) | 700x280x511 |



\$2,683.00
Including GST

\$2,333.04 excluding GST
XA-RZMIG250PFC-K

C/w 4m M240 Digital MIG Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra

RAZORWELD**mig250w****MIG250WPFC****250AMP DC MIG/TIG/MMA**

- HD Backlit Interface
- Synergic MIG Control
- Gas & Gasless MIG
- Power Factor Correction (PFC)
- Spool Gun/ Push-Pull Gun Ready
- 4 Geared Wire Drive
- DC Lift Arc TIG
- Advanced MMA Features
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1

| | |
|-------------------|------------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 20% @ 250A, 60% @ 144A |
| Current Range MIG | 30 - 250A |
| Current Range TIG | 5 - 250A |
| Current Range MMA | 20 - 220A |
| Weight | 41.3Kg |
| Dimensions (mm) | 900x480x760 |

C/w 4m M240 Digital MIG Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$2,882.00
Including GST

\$2,506.09 excluding GST
XA-RZMIG250WPFC-K

RAZORWELD**mig350wrz****MIG350WRZ****350AMP DC MIG/TIG/MMA**

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

| | |
|-----------------------|-------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 40% @ 350A |
| @ 25°C | 70% @ 350A |
| Current Range MIG | 50 - 350A |
| Current Range TIG-MMA | 20 - 350A |
| Weight | 58Kg |
| Dimensions (mm) | 900x400x785 |

C/w 4m XA36 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$3,395.00
Including GST

\$2,952.17 excluding GST
XA-MIG350WRZ-K

RAZORWELD mig350swf**MIG350RZSWF****350AMP DC MIG/TIG/MMA**

- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integrated Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

| | |
|-------------------|------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 40% @ 350A |
| @ 25°C | 70% @ 350A |
| Current Range MIG | 50 - 350A |
| Current Range MMA | 20 - 350A |
| Rated Power | 12.8 KVA |

C/w 4m XA36 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$6,485.00
Including GST

\$5,639.13 excluding GST
XA-MIG350RZSWF-K

RAZORWELD mig500swf**MIG500RZSWF****500AMP DC MIG/TIG/MMA INDUSTRIAL WORKHORSE****THE BEAST!**

- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integrated Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

| | |
|-----------------------|------------|
| Power Supply | 415V - 3Ph |
| Duty Cycle @ 40°C | 60% @ 500A |
| @ 25°C | 80% @ 500A |
| Current Range MIG | 50 - 500A |
| Current Range TIG-MMA | 20 - 350A |
| Rated Power | 24.7 KVA |

C/w 4m XA38 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$7,130.00
Including GST

\$6,200.00 excluding GST
XA-MIG500RZSWF-K

VIPER ARC140 140AMP DC MMA WELDER

**GENUINE
UPGRADE**

**1 YEAR
MACHINE
WARRANTY**

- Modern IGBT Inverter Technology
- 10 Amp 240V Power Supply
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 15% @ 140A |
| | @ 25°C 40% @ 140A |
| Current Range | 20 - 140A |
| Rated Power | 6.5 KVA |
| I _{eff} | 10 Amps |
| Dimensions (mm) | 295x135x270 |
| Weight | 3.8kg |



C/w 2.5m Arc Lead Set

\$320.00
Including GST
\$278.26 excluding GST
XA-VA140

VIPER ARC160 160AMP DC MMA WELDER

**1 YEAR
MACHINE
WARRANTY**

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- MMA Arc Force
- Generator Compatible
- Compliant to AS/NZ 60974-1

| | |
|-------------------|-------------------|
| Power Supply | 240V - 1Ph |
| Duty Cycle @ 40°C | 15% @ 160A |
| | @ 25°C 40% @ 160A |
| Current Range | 20 - 160A |
| Rated Power | 8.0 KVA |
| I _{eff} | 12.5 Amps |
| Dimensions (mm) | 295x135x270 |
| Weight | 4.0kg |



C/w 2.5m Arc Lead Set

\$333.00
Including GST
\$289.56 excluding GST
XA-VA160

MACHINE TROLLEY INVERTER WELDERS

- Universal design with cylinder tray
- Easy to assemble kitset
- Heavy gauge metal
- Solid rubber rear wheels
- Good quality front wheel castors
- Top Tray 500 x 300mm
- Size: 700 x 300 x 775mm



\$115.00
Including GST
\$100.00 excluding GST
XA-TR165-190

MACHINE TROLLEY SLIDING DRAWERS

- Ideal for small inverter welders
- Solid design with cylinder rack
- Easy to assemble flat pack kitset
- Solid rubber rear wheels
- Quality front wheel castors
- Multi-positional front handle
- Top Tray 520 x 280mm
- Size: 710 x 370 x 845mm



\$249.00
Including GST
\$216.52 excluding GST
XA-TRD



PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.



- PROBAN® Treated Flame-Retardant Cotton Body
- Kevlar® Stitching
- Great manoeuvrability
- High Quality, Low Cost
- Kiwi Sizing: M, L, XL, XXL & XXXL

| | |
|-------------|-----------|
| XA-BPJ-M | Medium |
| XA-BPJ-L | Large |
| XA-BPJ-XL | X-Large |
| XA-BPJ-XXL | XX-Large |
| XA-BPJ-XXXL | XXX-Large |

\$75.00
Including GST
\$65.22 excluding GST



BLACK WELDING JACKET PROBAN TREATED COTTON BODY LEATHER SLEEVES

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.



- PROBAN® Treated Flame-Retardant Cotton Body
- Premium Cowhide Leather Sleeves
- Kevlar® Stitching
- Great manoeuvrability
- Kiwi Sizing: M, L, XL, XXL, XXXL

| | |
|--------------|-----------|
| XA-BLPJ-M | Medium |
| XA-BLPJ-L | Large |
| XA-BLPJ-XL | X-Large |
| XA-BLPJ-XXL | XX-Large |
| XA-BLPJ-XXXL | XXX-Large |

\$106.00
Including GST
\$92.17 excluding GST



WELDING APRON COWHIDE LEATHER

Xcel-Arc Black Series Leather Welding Aprons are made from highly durable and pliable split cowhide. Genuine Kevlar® thread is used in all stitching, providing high strength and durability. A unique cross over strap design includes easily adjustable straps. Available in black and one size fits all at 107cm in length.



Extra Long 107cm Length
One Size Fits All

XA-BLA Black Leather Welding Apron 107cm Length

\$81.39
Including GST
\$70.77 excluding GST

RAZORWELD**195MAX**

MULTI195MAX

195AMP MIG/TIG/MMA
3 IN 1 MULTI PROCESS WELDER

3 IN ONE
SYNERGIC

- 10A Plug
- MIG, TIG, MMA
- 4" LCD Screen
- Power Factor Correction (PFC)
- Job Memory
- IP21 Rating
- Dual Gas Input
- Smart Fan
- Foot Control Ready
- Compliant to AS/NZ 60974-1



| | |
|-----------------------|------------------------|
| Power Supply | 240V – 1ph |
| Duty Cycle @ 40°C MIG | 15% @ 195A, 60% @ 98A |
| Current Range MIG | 25 – 195A |
| Duty Cycle @ 40°C TIG | 30% @ 195A, 60% @ 138A |
| Current Range TIG | 5-195A |
| Duty Cycle @ 40°C MMA | 15% @ 195A, 60% @ 98A |
| Current Range MMA | 5-195A |
| Min Generator Power | 8.5kVa |
| Dimensions | 470x190x350mm |
| Weight | 11.8kg |

3 YEAR
MACHINE
WARRANTY



\$1,552.50

Including GST

\$1,350.00 excluding GST
XA-MIG195RZMTS-K

C/w XA M22 MIG Torch x 3m 250A, 4m XA17 TIG Flex Head Torch, Arc Set x 4m, Twin Gauge Argon Regulator

RAZORWELD**230ACDC**

MULTI230AC/DC

230AMP AC/DC MIG/MMA
4 IN 1 MULTI PROCESS WELDER

4 IN ONE

- True 4 IN 1 Multiprocess
- MIG, AC/DC TIG, MMA
- 5" LCD Screen
- Dual Plug Capable (10A & 15A)
- Power Factor Correction (PFC)
- 100+ Synergic Programs
- Job Memory
- Dual Gas Input
- Geared Wire Drive
- Smart Fan
- Generator Compatible
- Compliant to AS/NZ 60974-1



| | |
|---------------------|-------------------------------------|
| Power Supply | 240V – 1ph |
| Duty Cycle @ 40°C | 10% @ 200A (10A) / 25% @ 230A (15A) |
| Duty Cycle @ 25°C | 40% @ 200A (10A) / 60% @ 230A (15A) |
| Current Range MIG | 25 – 200A (10A) / 25 – 230A (15A) |
| Current Range TIG | 10 – 200A (10A) / 15A |
| Current Range MMA | 10 – 200A (10A) / 15A |
| Min Generator Power | 8.5kVa (10A) / 10kVa (15A) |
| Dimensions | 660x210x330mm |
| Weight | 20kg |

3 YEAR
MACHINE
WARRANTY

\$2,930.00

Including GST

\$2,547.83 excluding GST
XA-MIG230RZMTS-K

C/w XA M22 MIG Torch x 3m 250A, ARC 4m T3FX TIG Torch + Spares, Arc Set x 4m, Argon Regulator and 15amp to 10amp converter



PIPE STAND WITH ROLLER HEAD & V HEAD ATTACHMENT

IDEAL FOR PIPE SUPPORT DURING WELDING, INSTALLATION AND MARKING OUT

- 2500 lb (1135 kg) capacity
- Folds up for easy storage
- Carrying handle for ease of transporting
- Quick-action lock washer



\$278.92
Including GST

\$242.54 excluding GST

XA-PS-K



PIPE STAND V HEAD

| | |
|---------------------|---------------------|
| Load Capacity | 2500 lb /1135 kg |
| Weight | 3.1 kg |
| Suits Pipe Diameter | 1/2 - 12"(12-300mm) |

\$64.00

Including GST

\$55.65 excluding GST
XA-PS-VH




PIPE STAND RUBBER ROLLER HEAD

| | |
|---------------------|-------------------|
| Load Capacity | 1000 lb /450 kg |
| Weight | 6.7 kg |
| Suits Pipe Diameter | 2 - 24"(50-600mm) |

\$92.00

Including GST

\$80.00 excluding GST
XA-PS-RRH



PIPE STAND BALL TRANSFER HEAD

| | |
|--|-----------------|
| Load Capacity | 1000 lb /450 kg |
| 1pair required per V-head (Steel Ball) | |

\$80.00

Including GST

\$69.57 excluding GST
XA-PS-BTH



PIPE STAND BALL TRANSFER HEAD

| | |
|--|-----------------|
| Load Capacity | 1000 lb /450 kg |
| 1pair required per V-head (Stainless Steel Ball) | |

\$121.00

Including GST

\$105.22 excluding GST



MIG SPOOL GUNS

IDEAL FOR DISTANCE & SOFT WIRE WELDING

SUREGRIP SP SERIES SPOOL GUNS

Versatile and durable spool guns designed for precision and performance. Perfect for aluminum welding and a variety of applications, including panel beating and industrial use.



Key Features:

- Models & Power: 150A, 200A, and 270A air-cooled options with up to 60% duty cycle using Argon gas.
- Wire Compatibility: Supports 0.6mm, 0.9mm silicon bronze, and aluminum wires, welding up to 4mm thick.
- Durable Design: 6-metre Duraflex cable system with Euro connection, external wire tensioner, and 24v motor.
- Enhanced Control: Speed control at the torch (model-dependent). Reliable, high-performance tools for welding professionals.

| Code | Description | +GST | Inclusive |
|-------------------|--|----------|-----------|
| XASP15-24-P1-60ER | Spool Gun 150A x 6m, 1K Pot, 24V Motor | \$682.61 | \$785.00 |
| XASP24-24-P1-60ER | Spool Gun 240A x 6mtr, 1K Pot, 24V Motor | \$804.35 | \$925.00 |
| XASP36-24-P1-60ER | Spool Gun 300A x 6mtr, 1K Pot, 24V Motor | \$852.17 | \$980.00 |



SILICON BRONZE MIG WIRE

HIGH-QUALITY PRECISION WIRE

Precision layer wound copper based wire for MIG welding of copper, copper-silicon and copper-zinc alloys. This copper-silicon alloy is used to weld similar composition base metals, brass, and to weld these copper alloys to steel.



- High Quality Finish
- Precision Layer Wound
- International Approvals
- Smooth Feeding

| Code | Description | +GST | INCL |
|-----------|--|----------|----------|
| XA-SB0805 | Xcel-Arc Silicon Bronze Mig Wire 0.8mm x 5kg | \$285.00 | \$327.75 |
| XA-SB0905 | Xcel-Arc Silicon Bronze Mig Wire 0.9mm x 5kg | \$285.00 | \$327.75 |



ELIPSE® HALF-MASK P2 RESPIRATOR

The Elipse® Half-Mask P2 Respirator combines a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.

- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view.
- Compatible with other PPE safety products including visors and welding helmets.



XA-MASK-SM Elipse P2 Welding Mask - Small/Medium
 XA-MASK-ML Elipse P2 Welding Mask - Medium/Large

\$78.95
Including GST
 \$68.65 excluding GST

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99,95% for 0,3 µ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media



XA-FILTER-TP Replacement P3 Filter Pack

\$34.50
Including GST
 \$30.00 excluding GST



WELDING FUME EXTRACTOR 230V SINGLE PHASE

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.

WARNING! WORKSAFE NEW ZEALAND

Prolonged exposure to welding fumes is a serious hazard to workers respiratory health.

Welding and hot cutting produce metal and fluxing fumes made up of toxic gases and very fine particles. Inhaling welding fumes can cause ill health.

- Acute bronchitis
- Airway irritation
- Occupational asthma
- Metal fume fever
- Pneumonitis
- COPD - Chronic obstructive pulmonary disease
- Cancers
- Pneumoconiosis

Download the WORKSAFE Fact Sheet



Technical Data

| | |
|-----------------------|-------------------|
| Air Volume | 2000 ± 100m³/h |
| Air Suction Arm | 1000m³/h |
| Motor Power | 0.75kw |
| Working Voltage | 240V/50Hz 1 Phase |
| Filtering Area | 8.0m³ |
| Maximum Pressure | 1900Pa |
| Compressed Air | 0.5-0.6MPa |
| Filtration Efficiency | >99.9% |
| Noise Level | <74 ± 5 dB(A) |
| Dimensions | 510x610x999mm |
| Weight | 98 ± 5Kg |
| Warranty | 2 years |



\$4,599.00
Including GST
 \$3,999.13 excluding GST
 KSJ-0.7S



WELDING RESPIRATOR AS/NZS P2 PROTECTION

NOW WITH EXTERNAL GRIND BUTTON

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year - Blower Unit
- Warranty 2 years - Welding Helmet



XA-5122(D)



External grind button



\$1,265.00
Including GST
 \$1,100.00 excluding GST
 XA-PAPR-B

PAPR RE-CHARGABLE Li ION BATTERY

Li ION 12V 4400mAh

\$180.00
Including GST
 \$156.52 excluding GST
 XA-P0301



RAZORSHIELD DIGITAL WELDING MASK



Auto-Darkening Goggles - Intergal LED Headlamp
MIG • MMA • TIG • Plasma • Gas

- External Digital Control Panel
- Low Profile Design

Technical Data

| | |
|-------------------------|----------------------|
| Reaction Time | 0.08ms |
| Arc Sensors | 2 |
| Classification | 1/1/1/2 |
| Dark State Shades | 5-9 / 9-13 |
| Time from Dark to Light | 0.01-0.9s |
| Sensitivity Setting | Adjustable |
| Delay Control | Adjustable |
| Power Supply | Battery, Solar Cells |
| Min TIG Amperage | 5 Amps |
| Compliant Standard | AS/NZS 1338.1:2012 |



Kit Contents: RazorShield Goggles, Face Mask, Hood,
 LED Lamp, Head Band, Elastic Band, Spare Cover Lens

\$239.00
Including GST
 \$207.83 excluding GST
 XA-SHIELD



CHIPPING HAMMER - HEAVY DUTY ULTIMATE COMFORT AND DURABILITY

Experience ultimate comfort and durability with this heavy-duty tool. Perfect for demanding tasks, it combines innovative design with exceptional performance.


ENHANCED SHOCK ABSORPTION

HEAVY DUTY

BOOSTED DURABILITY

\$37.50
Including GST
 \$32.61 excluding GST
 CH-HD

NEW!



CO2 SHIELDED FLUX CORE WIRE AWS D1.8M:2009 SEISMIC APPROVED

Suitable for Structural & General Fabrication, Transport Engineering, Agriculture Equipment, Heavy Machinery & Marine Engineering

- AWS A5.20 E71T-1C
- Fast Freezing Slag
- All Position Welding
- Smooth Weld Bead
- Smooth Arc Transfer
- ABS Approvals



| Code | Description | +GST | INCL |
|-----------|--|---------|---------|
| XFC721215 | XA E71T-1C CO2 Flux Core Wire 1.2mm x 15kg | \$80.00 | \$92.00 |
| XFC721615 | XA E71T-1C CO2 Flux Core Wire 1.6mm x 15kg | \$80.00 | \$92.00 |

ER100S-G HIGH TENSILE MIG WIRE CHROME NICKEL MOLYBDENUM ALLOYED

Suitable for Structural Steel, Transport Engineering, Heavy Equipment, Earth Moving Repairs & Fabrication, Crane Repairs & Fabrication. Petrochemical Industry

- High Tensile Strength Welds 690MPa (100,000psi)
- Copper Coated & Precision Layer Wound
- Gas: 75-95% Argon / Balance Co2 or 98% Argon 2%O2



| Code | Description | +GST | INCL |
|--------------|--|----------|----------|
| XA-100SG1015 | ER100S-G HighTensile Mig Wire 1.0mm x 15kg | \$140.87 | \$162.00 |
| XA-100SG1215 | ER100S-G HighTensile Mig Wire 1.2mm x 15kg | \$136.52 | \$157.00 |

5356 ALUMINIUM MIG WIRE

Suitable for all Aluminium Welding & Fabrication, General Engineering, Transport & Marine Engineering.

- Triple Shaved
- Smooth Feeding
- X-Ray Quality
- Low Fume Factor
- Precision Layer Wound
- International Approvals



| Code | Description | +GST | INCL |
|----------|---|----------|----------|
| XA530805 | XA5356 x 0.8mm Al Mig Wire x 0.45kg Spool | \$20.61 | \$23.70 |
| XA530905 | XA5356 x 0.9mm Al Mig Wire x 0.45kg Spool | \$20.61 | \$23.70 |
| XA531005 | XA5356 x 1.0mm Al Mig Wire x 0.45kg Spool | \$20.61 | \$23.70 |
| XA531205 | XA5356 x 1.2mm Al Mig Wire x 0.45kg Spool | \$20.61 | \$23.70 |
| XA530920 | XA5356 x 0.9mm Al Mig Wire x 2.0kg Spool | \$61.74 | \$71.00 |
| XA531020 | XA5356 x 1.0mm Al Mig Wire x 2.0kg Spool | \$69.13 | \$79.50 |
| XA531220 | XA5356 x 1.2mm Al Mig Wire x 2.0kg Spool | \$66.52 | \$76.50 |
| XA531070 | XA5356 x 1.0mm Al Mig Wire x 7.0kg Spool | \$192.87 | \$221.80 |
| XA531270 | XA5356 x 1.2mm Al Mig Wire x 7.0kg Spool | \$185.74 | \$213.60 |

NEW! HYPERCORE GASLESS MIG WIRE

XA HYPERCORE™ E71T-GS is for single pass fillet and lap welding on galvanized or carbon steel as thin as 1.2mm without burn-through.

XA HYPERCORE™ E71T-11 all position general purpose gasless wire for single pass & limited multiple pass welds, ideal for mild & galvanized steel up to 12mm material thickness.



| Code | Description | +GST | INCL |
|---------------|--|----------|----------|
| XA-E71TGS0845 | XcelArc HYPERCORE E71T-GS Gasless Wire 0.8mm x 4.5kg Spool | \$93.00 | \$106.95 |
| XA-E71T110945 | XcelArc HYPERCORE E71T-11 Gasless Wire 0.9mm x 4.5kg Spool | \$89.00 | \$102.35 |
| XA-E71T111250 | XcelArc HYPERCORE E71T-11 Gasless Wire 1.2mm x 5.0kg | \$77.00 | \$88.55 |
| XA-E71T111215 | XcelArc HYPERCORE E71T-11 Gasless Wire 1.2mm x 15.0kg | \$300.00 | \$345.00 |

HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



| Code | Description | +GST | INCL |
|---------------|------------------------------------|----------|----------|
| XA-REL15A-10M | Xcel-Arc Rubber 10m Extension Lead | \$107.78 | \$123.95 |
| XA-REL15A-15M | Xcel-Arc Rubber 15m Extension Lead | \$134.74 | \$154.95 |
| XA-REL15A-20M | Xcel-Arc Rubber 20m Extension Lead | \$159.13 | \$183.00 |

ESR11- GENERAL PURPOSE (G.P) ELECTRODE

For structural steelwork, workshop & general maintenance welding. All positional welding with good gap-bridging, smooth arc, easy restriking properties. Welds are smooth, slightly concave and blend into the base metal without undercutting. Suitable for welding galvanized steel, primer painted and slightly rusted components.

AWS/ASME SFA 5.1 E6013

Packaged in Convenient 2.5kg & 5kg Recyclable Plastic Cannister



| Code | Description | +GST | INCL |
|-------------|---|---------|---------|
| ESR1125-25P | ESR11 Electrode 2.5mm 2.5kg Plastic Cannister | \$36.03 | \$41.43 |
| ESR1125-50P | ESR11 Electrode 2.5mm 5.0kg Plastic Cannister | \$59.26 | \$68.15 |
| ESR1132-25P | ESR11 Electrode 3.2mm 2.5kg Plastic Cannister | \$34.80 | \$40.02 |
| ESR1132-50P | ESR11 Electrode 3.2mm 5.0kg Plastic Cannister | \$64.02 | \$73.62 |

1KG MAGMAWELD ELECTRODE PACKS

Reduce both wastage and the cost of smaller jobs with new Magmaweld 1kg plastic packs. Also introducing ESR11 General Purpose in 2.0mm diameter, not previously available in larger pack sizes. There's a broad range of different electrode types and sizes in the 1kg packs so if what you need isn't shown here, please ask.

| General Purpose | | +GST | INCL |
|------------------|--|----------|----------|
| ESR1120-10P | 6013GP Electrode 2.0mm 1kg Plastic Pkt | \$23.27 | \$26.76 |
| ESR1125-10P | 6013GP Electrode 2.5mm 1kg Plastic Pkt | \$17.51 | \$20.14 |
| ESR1132-10P | 6013GP Electrode 3.2mm 1kg Plastic Pkt | \$17.04 | \$19.60 |
| Stainless Steel | | +GST | INCL |
| EI316L20-10P | 316L Electrode 2.0mm 1kg Plastic Pkt | \$66.96 | \$77.00 |
| EI316L25-10P | 316L Electrode 2.5mm 1kg Plastic Pkt | \$68.34 | \$78.59 |
| Cast Iron | | +GST | INCL |
| ENI41625-10P | 416(NiFe) Cast Iron Electrode 2.5mm 1kg | \$142.28 | \$163.62 |
| ENI41632-10P | 416(NiFe) Cast Iron Electrode 3.2mm 1kg | \$106.00 | \$121.90 |
| Dissimilar Metal | | +GST | INCL |
| EI312L25-10P | EI312 Dissimilar Metal Electrode 2.5mm 1kg Pkt | \$72.24 | \$83.08 |
| EI312L32-10P | EI312 Dissimilar Metal Electrode 3.2mm 1kg Pkt | \$54.30 | \$62.45 |

3PHASE ROBUST EXTENSION LEADS VERSATILE LENGTH OPTIONS FOR EVERY NEED

Explore Rubber 3Phase Extension Leads in 10m, 20m, and 30m. Equipped with durable 32amp plugs and sockets for demanding settings.

NEW!

Thickness 4x6 mm²



| Code | Description | +GST | INCL |
|------------------|---|----------|----------|
| XA-REL3PH32A-10M | 10m Extension Lead, 32amp Plug & Socket | \$256.52 | \$295.00 |
| XA-REL3PH32A-20M | 20m Extension Lead, 32amp Plug & Socket | \$424.78 | \$488.50 |
| XA-REL3PH32A-30M | 30m Extension Lead, 32amp Plug & Socket | \$593.91 | \$683.00 |

BRAIDED FOR MAXIMUM HEAVY DUTY ROBUST AND IDEAL FOR CONSTRUCTION SITES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



| Code | Description | +GST | INCL |
|---------------|-------------------------------------|----------|----------|
| XA-BEL15A-10M | Xcel-Arc Braided 10m Extension Lead | \$115.65 | \$133.00 |
| XA-BEL15A-15M | Xcel-Arc Braided 15m Extension Lead | \$154.78 | \$178.00 |



TOXIC

**PROVEN RELIABILITY
BOLD GRAPHICS**

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

AS6000F

**BEST SELLER
WIDE VIEW 100 x 60mm**

- MIG/MMA/TIG Compatible
- 4 Arc Sensors
- Grind Mode
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

CHAOS

**EXTERNAL SHADE ADJUSTMENT
LARGE VIEW AREA 100 x 60mm**

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Comfort Headgear
- Analogue Controls
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

AS8000D

**EXTERNAL GRIND BUTTON
WITH LARGE VIEWING AREA**

- MIG/MMA/TIG Compatible
- 100 x 83.4mm Viewing Area
- Variable Shade 5~9 / 9~13
- 4 Point Harness
- Comfort Headgear
- 3 Memory States
- Back-up Battery
- 4 Arc Sensors
- External Grind Button
- Classification 1/1/1/1
- Compliant to AS/NZS 1338.1

AS9000D

**WITH LARGEST VIEWING AREA
AND EXTERNAL CONTROLS**

- MIG/MMA/TIG Compatible
- 1/1/1/1 Classification
- Larger View Area 102.5x102.5mm
- Auto Shade Select | 3.0 Light State
- 5 Arc Sensors
- External Grind Button
- 5~9 / 9~13 Shade Control
- 4 Point Harness | Back-up Battery
- Standards
AS/NZS 1337.1 B (High Impact)
AS/NZS 1338.1 (Auto-Darkening)

TOXIC

\$138.00
Including GST
\$120.00 excluding GST

AS6000F

\$199.00
Including GST
\$173.04 excluding GST

CHAOS

\$206.00
Including GST
\$179.13 excluding GST

AS8000D

\$343.00
Including GST
\$298.26 excluding GST

AS9000D

\$457.00
Including GST
\$397.39 excluding GST

“Want to know more?” Visit www.xcelarc.nz or contact your nearest Xcel-Arc and Razorweld stockist today!



Special pricing valid until 31st May, 2025

RAZORWELD

RAZORCUT

**GEORGE HENRY
& CO. LTD.**

**ABRASIVES, ENGINEERING & WELDING SUPPLIES
HAND TOOLS & POWER TOOLS**

Hornby Branch: 258 Main South Road, Hornby
Telephone: 03 961 2777
Email: sales@georgehenry.co.nz



**100% KIWI OWNED, OPERATED
AND PROUD OF IT!**