QUALITY BRANDS. SHARP PRICES. EXCEPTIONAL SERVICE. SEPTEMBER - OCTOBER 2024



YEAR PRODUCT WARRANTY

POWERED AIR PURIFYING RESPIRATOR

PROVIDES INDUSTRIAL LEVEL EYE AND RESPIRATORY PROTECTION FOR THE MOST EXTREME WELDING APPLICATIONS. THE LITHIUM-ION BATTERY PROVIDES UP TO 8 HOURS OF USE ON LEVEL 1, 6 HOURS ON LEVEL 2 AND 4 HOURS ON LEVEL 3 AIRFLOW SETTING. THE POWERED RESPIRATOR KEEPS FRESH, CLEAN AIR PUMPING AROUND YOUR FACE SO YOU CAN BREATHE EASILY WHILE YOU WELD. IT HAS A FILTER EFFICIENCY OF 99.996% @ 0.3UM, WHICH MEANS THAT WELDING FUMES, PARTICLES AND GASES ARE ALL BEING

FILTERED TO PROVIDE YOU WITH CLEAN, FRESH AIR.

UNIVERSAL MACHINE **TROLLEY**

SOLID RUBBER WHEELS TWO ACCESSORY SHELVES. D SIZE GAS CYLINDER RACK, FRONT SWIVEL CASTORS, MADE FROM HEAVY GAUGE STEEL.

> \$97.39 +GST \$112 INCLUDING **WE9260**

\$1025 :22 GST \$1179 INCLUDING SE1280



RAZORUELD

500AMP SWF MIG/TIG/STICK WELDER

DESIGNED TO OFFER THE HIGHEST QUALITY WELDS AVAILABLE FROM XCEL-ARC. WITH SUPERIOR WELDING TECHNOLOGY, NO CORNERS HAVE BEEN CUT TO MAKE THIS MACHINE THE MOST POWERFUL IN ITS CLASS. BUILT WITH A SOLID CONSTRUCTION, THIS MACHINE IS DESIGNED TO WITHSTAND THE TOUGHEST CONDITIONS. SPOOL GUN AND PUSH-PULL GUN READY, AND SEPARATE WIRE FEEDER UNIT ADDS UP TO 10M OF EXTRA MANOEUVRABILITY. FOUR GEARED WIRE DRIVE FOR SMOOTHEST WIRE FEEDING.

YEAR MIG WELDING CURRENT RANGE: 50-500A MIG DUTY CYCLE @ 40°C: 60% @ 500A MIG WELDING THICKNESS RANGE: 1-30MM TIG FUNCTION TYPE: DC LIFT ARC TIG & STICK WELDING CURRENT RANGE: 20-500A TIG & STICK DUTY CYCLE @ 40°C: 60% @ 500A

COMPLETE WITH SEPARATE WIRE FEEDER WITH 10M INTERCONNECTING CABLES, TROLLEY WITH DRAWER, 4M XA38 MIG TORCH, EARTH LEAD & 5M ARC LEAD AND ARGON REGULATOR. (OPTIONAL INTEGRAL WATER COOLER)

\$5737 :39 +GST \$6598 INCLUDING

WE2006



MULTI 230 ACDC MIG/TIG/STICK WELDER

LOADED WITH COMPLETE, COMPREHENSIVE SYNERGIC MIG AND TIG PROGRAMS, SETTING UP FOR YOUR WELDS HAS NEVER BEEN QUICKER OR EASIER. COMPLETE TIG WELD CYCLE WITH AC/DC HIGH-FREQUENCY TIG. COMPLETE MIG CYCLE CONTROL WITH PRE- AND POST-GAS FLOW ARC IGNITION SPEED, AND BURNBACK, DIGITAL GEARED WIRE DRIVE ENSURES AN ACCURATE WIRE FEED SPEED FOR PRECISION WELDING. PFC MAXIMISES THE ELECTRICAL EFFICIENCY OF THE MACHINE AND AUTOMATICALLY COMPENSATES FOR ANY VOLTAGE FLUCTUATIONS. MIXED AC/DC MODE GIVES YOU FASTER WELDING SPEEDS, BETTER PENETRATION, A FASTER WELD PUDDLE ON COLD WORKPIECES, AND YOU CAN WELD ON THICKER MATERIALS. PULSE MMA (STICK) WELDING HELPS REDUCE SPATTER, IMPROVES HEAT CONTROL AND ALLOWS DUTY CYCLE @ 40°C MIG 25% @ 230A, 60% @ 187A. FOR AN EASIER REMOVAL OF SLAG.

> DUTY CYCLE @ 40°C TIG 25% @ 200A, 60% @ 130A. TIG CURRENT RANGE 10-200A. 15 AMP POWERSUPPLY PLUG (15A TO 10A CONVERSION LEAD INCLUDED)

> > COMPLETE WITH 4M XA24 MIG TORCH, 4M T3FX FLEX HEAD TIG TORCH, 4M ARC SET AND A TWIN GAUGE ARGON REGULATOR.



\$2381:74 EST \$2739 INCLUDING **WE2004**

GEORGE HENRY ECO. LID.

258 Main South Road Phone 03 961 2777 hornby@georgehenry.co.nz

Weekdays 7.30am - 5pm 9am - 12.30pm Saturdays

Farmlands co-operative CARD ACCEPTED HERE



Deals available from September until October 31st 2024, while stocks last. While we make our best effort for accuracy, errors and omissions may occur and are excepted.

Shop online today www.georgehenry.co.nz



Macnaught QUICK RELEASE GREASE COUPLER

PATENTED RELEASE MECHANISM DELIVERS ENHANCED SAFETY AND IS BOTH EASIER AND FASTER TO USE. FLOATING JAW DESIGN, PROVIDING A STRONG, LEAK-FREE CONNECTION. AVAILABLE IN 1/8"BSP AND 1/8"NPT. MADE IN AUSTRALIA.

1/8" BSP OR NPT

\$49 INC. GST

GG2215/6

FLEXIGUN®

Macnaught

450GM GREASE GUNS

PISTOL GRIP PRESSURE UP TO 10,000PSI.

LEVER HANDLE BOOSTS PRESSURE UP TO 12,000PSI.

THESE GUNS ARE KNOWN FOR THEIR RELIABILITY,

DURABILITY AND OVERALL DESIGN EXCELLENCE.

\$ 1 13 .04 +GST \$130 INC. GST **GG2214**

CRC

NLGI#2

LEVERGUN®

\$100 .00 +GST \$115 INC. GST

GG2213

HOT

TRADE MAP GAS TURBO TORCH KIT

SWIRL FLAME ACTION TRANSFERS HEAT UP TO 40% FASTER! SOLID BRASS INTERNALS. ADJUSTABLE BRASS BURNER TUBE. HARDENED ABS HANDLE FOR HEAT & IMPACT RESISTANCE. ANTI FLARE FEATURE. BURN TEMP 2050°C.



KIT PRICE

\$103 -48 +GST \$119 INCLUDING

WE5070

REPLACEMENT TRADE MAP GAS CYLINDER PER EA

\$20 INCLUDING

WE5130



RED LITHIUM GREASE

A MULTI-PURPOSE, RED LITHIUM COMPLEX GREASE THAT WITHSTANDS EXTREME PRESSURES AND TEMPERATURE RANGES. FORMULATED WITH ANTI-OXIDATION, ANTI-RUST, AND ANTI-WEAR ADDITIVES, IT IS A HIGHLY VERSATILE GREASE FOR USE IN BOTH AUTOMOTIVE AND INDUSTRIAL SETTINGS.

450GM TUBE

\$11 INCLUDING

CP7211



/litutoyo

10MM DIAL INDICATOR & MAGNETIC STAND COMBO

PLUNGER TYPE. DUAL READING SCALE. MAXIMUM MEASURING RANGE UP TO 10MM. 0.01MM OF RESOLUTION.





BALL PEIN HAMMERS

USK

ONE HANDED PISTOL GRIP DESIGN FOR

YOUR WORK PIECE.

HICKORY HANDLE. MADE IN TAIWAN. FORGED MEDIUM CARBON STEEL, HARDENED AND TEMPERED.

16 OZ

\$20 ·00 **□ □** +031 \$23 INCLUDING **HM0104**

32 OZ

+GST \$32 INCLUDING

HM0108

24 OZ

\$26^{.09} V L U +USI \$30 INCLUDING **HM0106**

40 OZ

\$34 INCLUDING

HM0110



2 PACK 300MM GRIP CLAMPS

FAST & EASY POSITIONING, GIVING YOU 70KG OF CLAMPING

FORCE WITH A ONE HANDED QUICK RELEASE TRIGGER.

NON-MARKING RUBBER BASE PADS TO PROTECT

8" / 200MM ABSOLUTE **DIGIMATIC CALIPER**

HARDENED STAINLESS STEEL CONSTRUCTION AND EQUIPPED WITH THE LATEST ELECTROMAGNETIC ABSOLUTE AOS

SYSTEM SCALE FOR ERROR FREE, HIGH-SPEED MEASUREMENT. ZERO/ABS BUTTON ALLOWS THE DISPLAY TO BE ZERO-SET AT ANY SLIDER POSITION ALONG THE SCALE FOR COMPARISON MEASUREMENTS. THIS BUTTON ALSO ALLOWS RETURN TO THE ABSOLUTE MODE FOR DISPLAYING THE TRUE POSITION FROM THE ORIGIN.

> RESOLUTION - 0.01 MM / .0005" ACCURACY - ±0.02MM / ±.001"

\$21 -74 +GST \$25 INCLUDING **CL5195**

\$345 -22 +GST \$397 INCLUDING **ME6045**

КОПЕLОП

HEAVY DUTY UTILITY SNIPS

MADE WITH PRECISION TO DELIVER CLEAN, ACCURATE CUTS. THE FULLY HEAT-TREATED HIGH-CARBON STEEL BLADES ENSURE THEY LAST LONGER AND STAY SHARP FOR LONGER TOO. JAPANESE STEEL BLADES. MADE IN SOUTH KOREA.



КОПЕLОП

18MM AUTOLOCKING BOX CUTTER

HIGH STRENGTH STAINLESS STEEL GUIDE. TIGHT 0.5MM TOLERANCE BETWEEN GUIDE AND BLADE PROVIDES VERY STABLE CUTTING. DURABLE ALUMINIUM DIE-CAST BODY.

100000000000000000



КОПЕЦОП

10M PROERGO MEASURING TAPE

CLASS II ACCURACY PRINTED BLADE. CONTROLLED BY PRECISE EQUIPMENT. NYLON COATED BLADE FOR ADDED MAXIMUM PROTECTION. THICK HIGH CARBON STEEL BLADE FOR MAXIMUM BLADE EXTENSION.

\$38 INC. GST


www.georgehenry.comz


BUY BAHCO TO GO IN THE DRAW TO WIN

POVENTURE

EVERY DOLLAR SPENT IS AN ENTRY INTO THE DRAW









SCAN TO LEARN MORE

Includes a Return Trip for 2 and \$1,000 Spending Money Promotional period: 1st September 2024 to 31st October 2024

*Terms & Conditions apply

For more information visit: www.bahco.com/nz_en/promotions







1/4", 3/8" & 1/2"DR **METRIC SOCKET SET** WITH 8-19MM RATCHETING WRENCHES

HEAVY DUTY SOCKETS FROM 4MM TO 34MM AND 3/8" TO 1-3/16". 12PC METRIC RATCHETING WRENCHES FROM 8MM TO 19MM. 10MM TO 19MM CROWSFOOT SET. MANY ACCESORIES INCLUDED SUCH AS SPARK PLUG SOCKETS, UNIVERSAL JOINTS, EXTENSIONS, COMPACT BIT RATCHET, HEX / TORX / PHILLIPS / SLOTTED DRIVER BITS. ALL CONTAINED IN A SHOCKPROOF AND EXTREME TEMPERATURE PROOF STORAGE CASE.





94PC METRIC / IMPERIAL **SOCKET & WRENCH SET**

1/4" METRIC SOCKETS FROM 4 TO 13MM. 1/2"DR METRIC SOCKETS FROM 10 TO 34MM. 1/2"DR IMPERIAL SOCKETS FROM 3/8" TO 1-3/16". 13PC METRIC WRENCHES FROM 7 TO 19MM. VARIETY OF SOCKET ACCESSORIES. HIGH PERFORMANCE ALLOY STEEL.LESS WEAR AND DAMAGE TO FASTENER THANKS TO DYNAMIC DRIVE SOCKETS. SHOCKPROOF AND EXTREME TEMPERATURE PROOF CASE.



\$299 INC. GST

HT4724

www.georgehenry.co.nz







TUSK

25PC 1-13MM M2 DRILL SET

CONSTRUCTED OF M2 HIGH SPEED STEEL FOR THE BEST COMBINATION OF STRENGTH, HEAT AND WEAR RESISTANCE. FULLY GROUND HSS DRILL BITS WITH A TITANIUM NITRIDE COATING FOR LONGER LIFE. INCREASED 135 DEGREE POINT, ENABLING A FASTER DRILLING RATE AND LOWER FEED PRESSURE. SELF CENTERING TIP FOR EASY START.



6 PCE PLUMBER SET Sizes: 19, 22, 35, 44, 57 & 64mm

19PC COBALT DRILL SET

+ HSS STEP DRILL

COBALT DRILL BITS FROM 2MM - 10MM.

RESISTANCE FOR INCREASED STRENGTH

\$65 .22 +GST

\$75 INCLUDING

DR5285

IN HIGH TEMPERATURES.

6PC BI-METAL HOLESAW SET

PLUMBERS SET, WITH TWO MANDRELS AND SIZES 19, 22, 35, 44, 57 & 64MM. MADE FROM BIMETAL HIGH SPEED STEEL.

\$39 INCLUDING

QF3311

750X DRILL BIT SHARPENER

THE TOP-OF-THE-LINE 750X SHARPENS DRILL BITS FROM 3/32" TO 3/4". POINT ANGLES CAN BE SET ANYWHERE FROM 115 TO 140 DEGREES. ADJUSTABLE MATERIAL TAKE-OFF ALLOWS YOU TO ADJUST THE AMOUNT OF MATERIAL REMOVED DURING SHARPENING, EXTENDING THE LIFE OF YOUR BITS. THE 750X IS BUILT TO STAND UP TO PROFESSIONAL USE. 3 YEARS WARRANTY.

MC5059



FITS POWER DRILLS & IMPACT DRIVERS, WITH TORSION NECKS DESIGNED TO WITHSTAND HIGH TORQUE IMPACT APPLICATIONS. INCLUDES 1/4" & 5/16"

NUTSETTERS.

\$20 .00 +GST \$23 INCLUDING

PA42205







19PC HSS DRILL SET 1.0 - 10.0MM

INDUSTRIAL QUALITY DRILL BITS MANUFACTURED FROM HIGH QUALITY HIGH SPEED STEEL AND HARDENED FOR SUPERB STRENGTH.





INDUSTRIAL BENCH GRINDER WITH LINISHER ATTACHMENT

200MM DIAMETER GRINDING WHEEL. 750W (1.0HP) INDUSTRIAL MOTOR. UNIQUE ADJUSTABLE EYESHIELDS WITH MAGNIFYING GLASS. WHEEL DRESSER. SAFETY E-STOP EMERGENCY SWITCH.

\$573 -04 +GST \$659 INCLUDING MC1026





TUSK

25-51MM SELF FEEDING **6PC WOOD BIT SET**

25 - 51MM WOOD BITS AND 140MM EXTENSION ROD. DRILL QUICKLY IN DRY, WET AND GUMMY WOODS. PRECISION MILLED 7/16" SHANK WHICH ELIMINATES WOBBLE AND RUNOUT. SPURS ON THE OUTSIDE DIAMETER CUT HOLES CLEANLY AND ACCURATELY. FORGED IN ONE PIECE FROM HIGH CARBON STEEL FOR MAXIMUM STRENGTH UNDER THE TOUGHEST DRILLING CONDITIONS.



HONG TONY

3/4"DR TORQUE WRENCH 50-450FT LB

SINGLE SCALE IN FT.LB. DESIGN FOR EASY TORQUE ADJUSTMENT. QUALITY ACCORDS TO DIN ISO 6789:2017. TOLERANCE OF TORQUE ±3%(CW) OVERALL LENGTH: 1048MM. CW/CCW DIRECTION. AUTOMATIC QUICKLY RETURN ADJUSTMENT. COMFORTABLE RUBBER HANDLE.

\$386 .96 +GST \$445 INCLUDING

www.georgehenry.co.nz







150MM MEASURING TOOLS

POLISHED NATURAL STEEL FINISH LEGS. STRONG BUT FLEXIBLE BOW SPRING. ADJUSTMENT SCREW GIVE A SMOOTH AND PRECISE ACTION.

150MM **OUTSIDE CALIERS**

\$19 INCLUDING

ME88512

150MM **INSIDE CALIERS**

\$19 INCLUDING

ME88511

150MM **SPRING DIVIDER**

\$19 INCLUDING

ME88514

BLU~MOL°

100MM ENGINEERS SQUARE

INNER CORNER CLEARANCE FOR BURRS & DIRT. HARDENED SPRING STEEL BLADE. PRECISELY GROUND STOCK AND BLADE

VERIEX

ME88515

\$22 INCLUDING

GRIZZLYPRO®



6PC FLAP WHEEL PACK

40MM X 25MM WHEEL SIZE WITH A 6MM SHANK SIZE. TWO EACH OF 60G, 80G AND 120G. USE WITH A DIE GRINDER TO ALLOW YOU TO GRIND AND FINISH HARD-TO-ACCESS AREAS SUCH AS

> \$20 INCLUDING AB48250

THE INSIDE OF PIPES OR TUBES...

4 ROW WIRE HAND BRUSHES





STAINLESS +GST

\$8 INCLUDING BR0053

MILD STEEL \$5.65 +GST

BR0054

\$6.50 INCLUDING

GRIZZLYPRO

RECHARGABLE 1200 LUMEN COMPACT WORKLIGHT

1,200 LUMENS OF WHITE LIGHT. IP65 RATING. 4 HOURS RUN TIME ON HIGH.

2 HOURS CHARGING TIME. USB-C POWERBANK OUTLET. MAGNETIC BACKING.

\$55 INCLUDING EL249180



6 - 32MM, 4 - 20MM AND 4 - 12MM. TITANIUM NITRIDE COATED TO BE HARDER WEARING, EXTENDING THE LIFETIME AND REDUCES CHIP BUILD UP. HEX SHANKS TO SUIT IMPACT DRIVERS.

\$108 .70 +GST \$125 INCLUDING **DR8068**



3PC HSS 1/4" HEX



KLEIN TOOLS

DIGITAL MULTIMETER

MEASURES UP TO 600V AC/DC VOLTAGE, 10A AC/DC CURRENT AND 50 MOHMS RESISTANCE, CONTINUITY, TEMPERATURE, CAPACITANCE, FREQUENCY, DUTY-CYCLE, AND TEST DIODES. EASY-TO-VIEW BACKLIT DISPLAY. DURABLE METER BUILT TO WITHSTAND A 2M DROP.

\$100 INCLUDING EL3297

200MM DIGITAL ANGLE FINDER

3-IN-1 DIGITAL ANGLE FINDER PROVIDES PRECISION MEASUREMENTS FOR INSIDE AND **OUTSIDE ANGLES, LENGTHS, AND** CALCULATES SIMPLE MITER CUT ANGLES. MEASURE INSIDE AND OUTSIDE ANGLES WITH AN ACCURACY OF +/- 0.2-DEGREE. BRIGHT WHITE LED DISPLAY PROVIDES EASY VISIBILITY IN ALL LIGHTING CONDITIONS.

> \$76 .52 +GST \$88 INCLUDING ME5353







LIFEGUARD 6 10A PSOA

CONSTRUCTED WITH HIGH IMPACT POLYETHYLENE, IP65 RATED. THE LIFEGUARD 6 IS SUITABLE FOR USE ON BUILDING SITES. HAS THE SPECIFICATIONS TRADESMEN AND OSH DEMAND. MEETS THE REQUIREMENTS OF ASNZS 3012. PROUDLY MADE IN NEW ZEALAND

6 OUTLET

\$618 INCLUDING

EL1408

4 OUTLET \$518 INCLUDING KLEIN **DIGITAL ANGLE**

GAUGE & LEVEL


CAN MEASURE OR SET ANGLES, CHECK RELATIVE ANGLES WITH THE ZERO CALIBRATION FEATURE, OR CAN BE USED AS A DIGITAL LEVEL. STRONG MAGNETIC BASE TO ATTACHES TO CONDUIT, PIPES, SAW BLADES, VENTS, DUCTS ETC.



\$98 INCLUDING

www.georgehenry.co.nz

480MM HEAVY DUTY CONTRACTORS **TOTE BAG**



\$47 .82 +GST \$55 INCLUDING **TB8353**



HAEPO



600MM HEAVY DUTY CONTRACTORS **TOOL BAG**

11 INTERNAL & EXTERNAL POCKETS, ELEVATED PROTECTIVE FEET, ADJUSTABLE STRAP AND RIVETED HANDLES FOR ADDITIONAL STRENGTH.

GRIZZLYPRO*

TB8354



1/2" AND 3/8" 2-IN-1 EXTENSION **POWERBARS**



\$39.00 INCLUDING QF0011



410MM CARGO BAG

STURDY CONSTRUCTION WITH DEEP PLASTIC BASE FOR ADDED WATER PROTECTION. SIX EXTERIOR POCKETS AND FOUR INTERIOR POCKETS. HUGE CAPACITY.

\$39.13

+GST \$45 INCLUDING **TB8372**



4 TON AXLE STANDS

HEAVY-DUTY STAMPED STEEL FRAME AND DUCTILE IRON RATCHET BAR. FULLY WELDED SEAMS FOR STRENGTH.

4-POINT WIDE STANCE DESIGN FOR MAXIMUM LOAD STABILITY. DOUBLE-LOCKING SAFETY PIN FOR EXTRA LOCK PLUS HOLD POSITION. SUPPORT RANGE: 340MM TO 510MM.

\$167 INCLUDING MC06280





6PC SOCKET ADAPTOR SET

WERBUILT'

BUILT TO EXCEED ANSI SPECS. CHROME VANADIUM STEEL, FULLY POLISHED AND CHAMFERED ENDS FOR EASIER ATTACHMENT AND REMOVAL. SET INCLUDES A VARIETY OF 1/4", 3/8", 1/2" AND 3/4" ADAPTORS, PACKAGED IN A BLOW MOLDED CASE.

REGOO

\$30 INCLUDING

HT20920



GREAT FOR EVERYTHING FROM PICNICS AND OUTDOOR EVENTS TO MOVING AND STORAGE AND PROTECTING VEHICLE INTERIORS FROM PET OR CARGO DAMAGE.

LARGE 1.8M X 2M

\$42 INCLUDING **HT0904**

MEDIUM 1.8M X 1M

\$30 INCLUDING

HT0903

12PC 1/2"DR NERBUILT 75MM LONG HEX BIT IMPACT SOCKET SET

CHROME MOLYBDENUM STEEL, MADE FOR IMPACT WRENCH USE. SET INCLUDES 4MM, 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 12MM, 14MM, 17MM, 19MM AND 190MM IMPACT EXTENSION WITH UNIVERSAL JOINT.



DIGITAL CONTROL PANEL (V.T.F) CLEARLY DISPLAYS IMPORTANT ENGINE AND OUTPUT DATA. PUSH BUTTON START WITH MANUAL RECOIL START ENSURES YOUR GENERATOR IS ALWAYS READY TO GO. 9HP, 9500 WATTS (11.8KW) MAX, 9000 WATTS (11.25KW) RATED. 38.5L FUEL TANK WITH FUEL GAUGE, RUN TIME UP TO 7 HOURS.

2X IP66 15AMP PLUGS PROTECTED BY RCD AND INDIVIDUAL CIRCUIT BREAKERS.

1X IP66 32AMP PLUG WITH CIRCUIT BREAKER FOR CONNECTION TO EITHER HOUSE OR EXTERNAL RCD. 32AMP TO 15AMP ADAPTOR CABLE FOR USE WITH EXTERNAL RCD.

\$3021-74 +6ST \$3475 INCLUDING MC0635



11.8KVA / 9500W **INVERTER GENERATOR**



OWERBUILT

4.4KVA / 3500W **INVERTER GENERATOR**



HEAVY DUTY OPEN FRAME INVERTER GENERATOR. PURE SINEWAVE, SAFE FOR SENSITIVE ELECTRONICS. **ECO THROTTLE REDUCES FUEL CONSUMPTION AND** NOISE AT LOW LOADS. 2 X IP44 15AMP PLUGS. 7L FUEL TANK, CAN RUN UP TO 4 HOURS.

\$995 INCLUDING

MC06312

www.georgenenry.co.nz-



5PC ALUMINIUM CUTTING CARBIDE BURR SET

OFFERS THE LATEST IN INVERTER TECHNOLOGY WHICH ENSURES RELIABILITY

AND INCREASED PERFORMANCE. ITS POWERFUL CUTTING CAPACITY MAKES

LIGHT WORK OF ALL CONDUCTIVE METALS INCLUDING

STAINLESS STEEL AND ALUMINIUM.

INBUILT AIR REGULATOR FOR

\$399 INCLUDING

WE1960

DRIER, CLEANER AIR.

SUPER LIGHT WEIGHT AND PORTABLE.

A VARIETY OF ALUMINUM CUTTING CARBIDE BURRS WITH 8MM HEADS AND 6MM SHANKS. USED FOR RAPIDLY CUTTING, SHAPING, AND GRINDING, REMOVAL OF SHARP EDGES, BURRS AND SMOOTHING WELDS.





40AMP INVERTER

PLASMA CUTTER

1

MC1827

\$498 INCLUDING

LIFTING RANGE: 140MM - 445MM.

50L 2900W OILLESS AIR COMPRESSOR

PORTABLE QUIET LARGE-CAPACITY COMPRESSOR IDEALLY SUITED FOR THE WORKSHOP OR SHED. TWIN 1450-WATT MOTORS AND PUMPS. ITALIAN-DESIGNED TRADE QUALITY COMPRESSOR. FAST TANK FILLING AT ONLY 69 SECONDS. OIL-FREE TECHNOLOGY BRINGS REDUCED MAINTENANCE AND INCREASED PERFORMANCE. QUIET OPERATION WITH REDUCED VIBRATION. 15AMP PLUG. 280L/MIN (9.88CFM).

\$649 INCLUDING



PAT

POWERBUILT

MC8205



125MM 1400W **ANGLE GRINDERS**

STRONG ALLOY GEARBOXES. HEAT RESISTANT. HIGH POWERED 1400W MOTORS WITH EXCELLENT OVERLOAD DURABILITY. SLEEK, LOW PROFILE HEAD WITH A TOOL-LESS WHEEL GUARD ADJUSTMENT.



SIDE SWITCH

\$ 199 -13 +GST

\$229 INCLUDING PT4079

PADDLE SWITCH

\$256 -52 +GST \$295 INCLUDING

PT40790

GRIZZLYPRO

HEAVY DUTY 3-IN-1 GARAGE JACK

REMOVABLE SADDLE AND PADDED RAILS FOR VERSATILE FUNCTION

BETWEEN USE ON CAR, MOTORCYCLE OR ATV. ALSO SUITABLE FOR

REMOVING/REPLACING TRANSMISSIONS & DIFFERENTIALS.

SAFELY LOCKING SAFETY BAR HOLDS LOAD SECURELY.

INCLUDES 2X CAMBUCKLE STRAPS FOR SECURING LOAD.

WIDE BASE & WHEELS IMPROVES STABILITY FOR LIFTING LOAD

RECHARGABLE **1600 LUMEN HYBRID TORCH**

HUGELY BRIGHT 1600 LUMENS OUTPUT OF SHARP WHITE LIGHT. IP54 RATING, 3 HOURS RUN TIME ON HIGH, 5 HOURS ON MEDIUM AND 7 HOURS ON LOW. 6 HOURS CHARGING TIME WITH USB-C PORT.

2,600 MAH BATTERY POWERBANK.





12/24V 35000MAH LITHIUM JUMP STARTER

SUITABLE FOR AUTOMOTIVE AND INDUSTRIAL JUMP STARTING. AUTOMATIC VOLTAGE SENSING. PEAK CURRENT 1200A(12V). HUGE 35000MAH CAPACITY. BACK-UP POWER FOR PORTABLE DEVICES. POWERFUL TORCH FUNCTION.



metabo

355MM METAL CHOP SAW

POWERFUL 2300W MOTOR FOR CUTTING OF PROFILES PIPES AND STEEL RODS, IRON AND CAST PROFILES. QUICK CLAMPING WITH VARIABLE MITRE SETTING FOR ANGLED CUTS FROM -15° TO 45°.

LARGE HANDLE TRANSVERSAL TO THE CUTTING AXIS FOR OPTIMUM POWER TRANSMISSION WHILE CUTTING. MAXIMUM USER SAFETY: SWIVELLING CUTTING GUARD, ADJUSTABLE SPARK DEFLECTOR SHEET AND RUBBERISED BASE FOR SAFE CUTTING.

\$364 -35 +GST \$419 INCLUDING PT6160



GEORGE HENRY & CO. LID.

EL3385